

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 13-48-03099  
Name of Facility: Coral Reef Elem  
Address: 7955 SW 152 Street  
City, Zip: Miami 33157

Type: School (more than 9 months)  
Owner: M-DCSB Food and Nutrition  
Person In Charge: Tanya Williams Phone: 305-235-9421  
PIC Email: ttwilliams@dadeschools.net

**Inspection Information**

Purpose: Routine  
Inspection Date: 12/17/2019  
Correct By: Next Inspection  
**Re-Inspection Date: None**

Number of Risk Factors (Items 1-29): 0  
Number of Repeat Violations (1-57 R): 0  
Facility Grade: N/A  
Stop Sale: No

Begin Time: 08:00 AM  
End Time: 08:45 AM

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

**SUPERVISION**

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

**EMPLOYEE HEALTH**

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

**GOOD HYGIENIC PRACTICES**

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

**PREVENTING CONTAMINATION BY HANDS**

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

**APPROVED SOURCE**

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

**PROTECTION FROM CONTAMINATION**

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

**TIME/TEMPERATURE CONTROL FOR SAFETY**

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

**CONSUMER ADVISORY**

- NA** 25. Advisory for raw/undercooked food

**HIGHLY SUSCEPTIBLE POPULATIONS**

- IN** 26. Pasteurized foods used; No prohibited foods

**ADDITIVES AND TOXIC SUBSTANCES**

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

**APPROVED PROCEDURES**

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Good Retail Practices**

<b>SAFE FOOD AND WATER</b>	
<u>IN</u> 30. Pasteurized eggs used where required	<u>IN</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	<b>UTENSILS, EQUIPMENT AND VENDING</b>
<u>NA</u> 32. Variance obtained for special processing	<u>IN</u> 47. Food & non-food contact surfaces
<b>FOOD TEMPERATURE CONTROL</b>	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	<b>PHYSICAL FACILITIES</b>
<u>IN</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
<b>FOOD IDENTIFICATION</b>	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
<b>PREVENTION OF FOOD CONTAMINATION</b>	<u>OUT</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>IN</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>OUT</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>IN</u> 42. Washing fruits & vegetables	
<b>PROPER USE OF UTENSILS</b>	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

**Violations Comments**

<p>Violation #54. Garbage &amp; refuse disposal -Observed missing drain plug in recycle bin, the dumpster located to the left and the first dumpster located to the right. Provide missing drain plug to prevent leaking and contamination. CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.</p>
<p>Violation #56. Ventilation &amp; lighting -Observed light bulb missing in refrigerator located in front of serving line. Provide light bulb.  -Observed light bulb burned-out in freezer #1 located next to the exit door. Replace light bulb to provide lightning.  CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**General Comments**

Satisfactory

Temperature taken:  
Hot water/Handwashing sink: 106°F  
Refrigerator: 35-38°F  
Freezer: 0°F

Hot holding:  
Scramble eggs: 149°F  
Grits: 194°F  
Sausage: 181°F

Cold holding:  
Yogurt: 38°F

Email Address(es): tequigley@dadeschools.net;  
nemoss@dadeschools.net;  
ttwilliams@dadeschools.net;  
rpierre\_louis@dadeschools.net;  
clmguerra@dadeschools.net;  
jaybolton@dadeschools.net;  
iaplacio@dadeschools.net;  
jware@dadeschools.net

Inspection Conducted By: Lucia Gonzalez Melendez (913031)  
Inspector Contact Number: Work: (786) 676-2013  
Print Client Name: Coral Reef Elem  
Date: 12/17/2019

Inspector Signature:

Client Signature: